

25790

WELL RECORD

8th + JASPER

N
EN
EWell is located-----miles S and-----miles S from
W W

ONAWA

in

MONONA

(Nearest Town)

(County)

in the----- $\frac{1}{4}$ ----- $\frac{1}{4}$ Sec.-----T.-----R.-----Owner CITY Well No. 3

Postoffice address-----

Contractor SPS INC.Address ONAWA IOWADriller JUNIOR HANSONWell begun 10-25-79, 19-----;

completed-----, 19-----

Rig used—Cable, Rotary, Jet, or ReverseDepth of well 115 FT
(Feet)

Size of hole (note total amount of each size)-----

32"Main water supply at 60' TO 115'
(Feet below surface)Final water head 12'
(Feet above or below surface)Is well pumped? YESYield 1000
(Gallons per minute)Water level when pumping 20' 10"Position of well ON THE FLAT
(Upland, valley, side hill, etc.)

NOTE: Water levels should be recorded at time of change AND at regular intervals; for example each morning before drilling starts or at the end of each 100 feet of drilling.

including ----- feet tailpiece.

Remarks on construction of well ----- GRAVEL Packed
TO 22' FROM TOP WITH 2' Bentonite
SEAL & 20' GROUT.

SAMPLE NO.	DEPTH		THICKNESS
	From	To	
1	0	5	
2	5	10	
3	10	15	
4	15	20	
5	20	25	
6	25	30	
7	30	35	
8	35	40	
9	40	45	
10	45	50	
11	50	55	
12	55	60	
13	60	65	
14	65	70	
15	70	75	
16	75	80	
17	80	85	

DESCRIPTION OF BEDS	
KIND OF ROCK, COLOR, HARD OR SOFT, WATER, ETC.	
BROWN	CLAY
DARK	CLAY
FINE	BROWN SAND
"	" "
FINE	DARK SAND
FINE	SAND
"	"
SOME WHAT	COARSER SAND
FINE	SAND
"	"
CLAYEY	SAND
FINE	SAND
GRAVEL	
"	
"	
"	
"	