

# 28195

WELL RECORD

Well is located 2 miles <sup>N</sup> <sub>W</sub> and \_\_\_\_\_ miles <sup>N</sup> <sub>W</sub> from

Clear Lake in Cerro Gordo,  
(Nearest Town) (County)

in the NW of 22 1/4 Sec. 96N T. 22W R.

Owner Methodist Camp Well No. 1

Postoffice address RR 1 Box 210 Clear Lake Ia

Contractor Beemer Well Drilling Inc

Address Rt 1 Box 2 Fairmont MW 5607

Driller Tim Kollasch

Well begun 4/16, 1987;

completed 4/17, 1987

Rig used—Cable, Rotary, Jet, or \_\_\_\_\_

Depth of well 130'  
(Feet)

Size of hole (note total amount of each size) \_\_\_\_\_

11 in bore hole to ~~108'~~ 108', 6"-108'-130'

Main water supply at 114'-130'  
(Feet below surface)

Final water head 26'  
(Feet above or below surface)

Is well pumped? yes

Yield 100 gpm  
(Gallons per minute)

Water level when pumping 100'

Position of well side hill  
(Upland, valley, side hill, etc.)



SAMPLE NO.	DEPTH		THICKNESS
	From	To	
1	0	5	5'
2	5	10	"
3	10	15	"
4	15	20	"
5	20	25	"
6	25	30	"
7	30	35	"
8	35	40	"
9	40	45	"
10	45	50	"
11	50	55	"
12	55	60	"
13	60	65	"
14	65	70	"
15	70	75	"
16	75	80	"
17	80	85	"

DESCRIPTION OF BEDS	
KIND OF ROCK, COLOR, HARD OR SOFT, WATER, ETC.	
topsoil 6", 6" to 5' brown clay	
brown clay gravel mixed	
10-14' brown clay blue clay 14'-15'	
blue clay	
blue clay	
blue clay sand mixed	
blue clay greenish clay sand mixed	
" "	
" "	
45-46' greenish blue clay 46'-50' blue clay	
<del>50-55'</del> blue clay	
blue clay	
bluish green clay	
" "	
" "	
" "	
" "	

#28195

SAMPLE NO.	DEPTH		THICKNESS
	From	To	
18	85'	90'	5'
19	90	95	"
20	95	100	"
21	100	105	"
<del>22</del>	<del>105</del>	<del>110</del>	<del>"</del>
22	105	110	"
23	110	115	"
24	115	120	"
25	120	125	"
26	125	130	"

## DESCRIPTION OF BEDS

KIND OF ROCK, COLOR, HARD OR SOFT, WATER, ETC.

85-88 bluishgreen clay, 88-90 <sup>dark</sup> blue clay  
 greenish & brown clay mixed  
 brown clay  
 brown clay to 101 - 101-109 <sup>gray</sup> rock shale  
 102-107-0  
 good gray rock  
 gray & brown  
 dark gray with brown tints  
 dark gray  
 dark gray to 129 - 129-130 <sup>soft</sup> gray shale