

6 08 10

**Shawver Well Company, Inc.**  
 2700 Stanley Avenue  
 Fredericksburg, IA 50630

(563) 237-5341  
 (800) 568-4449

<p><b>Location of Well</b></p> <p>2271 Wexford Hollow Road Lansing, IA 52151</p> <p style="text-align: right;">County Allamakee Township Lafayette Section 22 Quarters SWNWSENE</p> <p><b>Customer Information</b></p> <p>Bernard O`Neill 2271 Wexford Hollow Road Lansing, IA 52151</p> <p style="text-align: right;">Contact Date 7/28/2005 Confirmation Date 8/1/2005</p> <p><b>Contact Information</b></p> <table style="width:100%;"> <tr> <td>Home Ph:</td> <td>Best time to call:</td> </tr> <tr> <td>Work Ph:</td> <td>Email:</td> </tr> <tr> <td>Cell Ph:</td> <td>Customer since: 7/28/2005</td> </tr> <tr> <td>Fax:</td> <td>Referred By: Pump</td> </tr> </table> <p><b>Job Information</b></p> <table style="width:100%;"> <tr> <td>Area WK</td> <td>Confirmation 8/1/2005</td> </tr> <tr> <td>Latitude 43.2923</td> <td>Start Date 8/1/2005</td> </tr> <tr> <td>Longitude -91.1758</td> <td>End Date 8/3/2005</td> </tr> <tr> <td>PWTS # 2111189</td> <td>Warranty Date 8/18/2005</td> </tr> <tr> <td>Permit Number 20131</td> <td>Warranty 17731-8/3/05</td> </tr> </table>	Home Ph:	Best time to call:	Work Ph:	Email:	Cell Ph:	Customer since: 7/28/2005	Fax:	Referred By: Pump	Area WK	Confirmation 8/1/2005	Latitude 43.2923	Start Date 8/1/2005	Longitude -91.1758	End Date 8/3/2005	PWTS # 2111189	Warranty Date 8/18/2005	Permit Number 20131	Warranty 17731-8/3/05	<p><b>Well Site Information</b></p> <table style="width:100%;"> <tr> <td>Actual Size 5 9/16"</td> <td>Pump Inst Liner--ft</td> </tr> <tr> <td>Depth 420'</td> <td>Sulfide Screen--</td> </tr> <tr> <td>Elevation 1070</td> <td></td> </tr> <tr> <td>SWL 225'</td> <td></td> </tr> <tr> <td>RPS 320' @ 15 gpm</td> <td>Made Water @346' @368', @ 410'</td> </tr> <tr> <td>Max GPM 25 gpm</td> <td>Screen Size</td> </tr> <tr> <td>Air Lift @ 280' @ 10 gpm, @ 420' @ 25 gpm</td> <td>Slot Size</td> </tr> <tr> <td>Exploratory -- To Ft</td> <td>Riser Pipe</td> </tr> <tr> <td>Mock Rock -- Acidize --</td> <td>Set From</td> </tr> <tr> <td>Well Use</td> <td>Perforated From</td> </tr> <tr> <td>Rig 99 30K</td> <td>Tail Pipe</td> </tr> <tr> <td>Gary Martin &amp; Dale</td> <td></td> </tr> <tr> <td>Driller Schumacher; Cert #: 3845 &amp; 6471</td> <td></td> </tr> <tr> <td>Driller 2 Chad Kucera</td> <td></td> </tr> </table> <p><b>Description:</b>    A 12 1/4" hole was drilled to 36' and 10" temporary casing was installed. An 8 3/4" hole was then drilled to 292'. The well was then cased with 294' of 5" outside diameter X .258 wall steel casing. Holeplug was utilized, then Benseal grout was pumped into the annular space. A 5" hole was drilled to 420' and the well was airlifted.</p> <p><b>Remarks:</b></p>	Actual Size 5 9/16"	Pump Inst Liner--ft	Depth 420'	Sulfide Screen--	Elevation 1070		SWL 225'		RPS 320' @ 15 gpm	Made Water @346' @368', @ 410'	Max GPM 25 gpm	Screen Size	Air Lift @ 280' @ 10 gpm, @ 420' @ 25 gpm	Slot Size	Exploratory -- To Ft	Riser Pipe	Mock Rock -- Acidize --	Set From	Well Use	Perforated From	Rig 99 30K	Tail Pipe	Gary Martin & Dale		Driller Schumacher; Cert #: 3845 & 6471		Driller 2 Chad Kucera																				
Home Ph:	Best time to call:																																																																	
Work Ph:	Email:																																																																	
Cell Ph:	Customer since: 7/28/2005																																																																	
Fax:	Referred By: Pump																																																																	
Area WK	Confirmation 8/1/2005																																																																	
Latitude 43.2923	Start Date 8/1/2005																																																																	
Longitude -91.1758	End Date 8/3/2005																																																																	
PWTS # 2111189	Warranty Date 8/18/2005																																																																	
Permit Number 20131	Warranty 17731-8/3/05																																																																	
Actual Size 5 9/16"	Pump Inst Liner--ft																																																																	
Depth 420'	Sulfide Screen--																																																																	
Elevation 1070																																																																		
SWL 225'																																																																		
RPS 320' @ 15 gpm	Made Water @346' @368', @ 410'																																																																	
Max GPM 25 gpm	Screen Size																																																																	
Air Lift @ 280' @ 10 gpm, @ 420' @ 25 gpm	Slot Size																																																																	
Exploratory -- To Ft	Riser Pipe																																																																	
Mock Rock -- Acidize --	Set From																																																																	
Well Use	Perforated From																																																																	
Rig 99 30K	Tail Pipe																																																																	
Gary Martin & Dale																																																																		
Driller Schumacher; Cert #: 3845 & 6471																																																																		
Driller 2 Chad Kucera																																																																		
<p><b>Well Formation Log</b></p> <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">From-To</th> <th style="text-align: left;">Color</th> <th style="text-align: left;">Formation</th> </tr> </thead> <tbody> <tr><td>0 - 23</td><td>Brown</td><td>Clay</td></tr> <tr><td>23 - 96</td><td>Brown</td><td>Rock</td></tr> <tr><td>96 - 128</td><td>Brown</td><td>Limerock</td></tr> <tr><td>128 - 145</td><td>Brown</td><td>Rock, Broken</td></tr> <tr><td>145 - 168</td><td>Brown</td><td>Rock</td></tr> <tr><td>168 - 174</td><td>Brown</td><td>Rock, Broken</td></tr> <tr><td>174 - 182</td><td>Brown</td><td>Rock</td></tr> <tr><td>182 - 225</td><td>Gray</td><td>Rock</td></tr> <tr><td>225 - 240</td><td>Brown</td><td>Rock</td></tr> <tr><td>240 - 292</td><td>Brown</td><td>Sandstone &amp; Littlerock</td></tr> <tr><td>292 - 400</td><td>Brown</td><td>Sandstone w/streaks of limerock</td></tr> <tr><td>400 - 420</td><td>Gray</td><td>Limerock</td></tr> </tbody> </table>	From-To	Color	Formation	0 - 23	Brown	Clay	23 - 96	Brown	Rock	96 - 128	Brown	Limerock	128 - 145	Brown	Rock, Broken	145 - 168	Brown	Rock	168 - 174	Brown	Rock, Broken	174 - 182	Brown	Rock	182 - 225	Gray	Rock	225 - 240	Brown	Rock	240 - 292	Brown	Sandstone & Littlerock	292 - 400	Brown	Sandstone w/streaks of limerock	400 - 420	Gray	Limerock	<p><b>Bore Log</b></p> <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">From-To</th> <th style="text-align: left;">Bit Size - Number</th> <th style="text-align: left;"></th> </tr> </thead> <tbody> <tr><td>0 - 36</td><td>12 1/4"</td><td>167140</td></tr> <tr><td>36 - 292</td><td>8 3/4" Micon Bit-Gary Martin</td><td>210033</td></tr> <tr><td>292 - 420</td><td>5"</td><td>A0072</td></tr> </tbody> </table> <p><b>Well Casing Log</b></p> <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">From-To</th> <th style="text-align: left;">Casing</th> </tr> </thead> <tbody> <tr><td>+ 2 - 0</td><td>5 9/16" x .258 Steel</td></tr> <tr><td>0 - 292</td><td>5 9/16" x .258 Steel</td></tr> </tbody> </table> <p>Screen Size</p> <p>Slot Size</p> <p>Riser Pipe</p> <p style="text-align: right;">Set From Tail Pipe</p> <p><b>Well Grout Used</b></p> <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Amount</th> <th style="text-align: left;">Type</th> </tr> </thead> <tbody> <tr><td>6 sacks</td><td>High Early</td></tr> <tr><td>12 sacks</td><td>Holeplug</td></tr> <tr><td>37 sacks</td><td>Mixed</td></tr> </tbody> </table>	From-To	Bit Size - Number		0 - 36	12 1/4"	167140	36 - 292	8 3/4" Micon Bit-Gary Martin	210033	292 - 420	5"	A0072	From-To	Casing	+ 2 - 0	5 9/16" x .258 Steel	0 - 292	5 9/16" x .258 Steel	Amount	Type	6 sacks	High Early	12 sacks	Holeplug	37 sacks	Mixed
From-To	Color	Formation																																																																
0 - 23	Brown	Clay																																																																
23 - 96	Brown	Rock																																																																
96 - 128	Brown	Limerock																																																																
128 - 145	Brown	Rock, Broken																																																																
145 - 168	Brown	Rock																																																																
168 - 174	Brown	Rock, Broken																																																																
174 - 182	Brown	Rock																																																																
182 - 225	Gray	Rock																																																																
225 - 240	Brown	Rock																																																																
240 - 292	Brown	Sandstone & Littlerock																																																																
292 - 400	Brown	Sandstone w/streaks of limerock																																																																
400 - 420	Gray	Limerock																																																																
From-To	Bit Size - Number																																																																	
0 - 36	12 1/4"	167140																																																																
36 - 292	8 3/4" Micon Bit-Gary Martin	210033																																																																
292 - 420	5"	A0072																																																																
From-To	Casing																																																																	
+ 2 - 0	5 9/16" x .258 Steel																																																																	
0 - 292	5 9/16" x .258 Steel																																																																	
Amount	Type																																																																	
6 sacks	High Early																																																																	
12 sacks	Holeplug																																																																	
37 sacks	Mixed																																																																	