

WELL RECORD FORM

96898


PWSID# or PWTS No. _____		PWTS Permit No. _____		GeoSam WNumber (IGS use only) _____																																																																																											
Site Identification Property owner <u>City of Ida Grove</u> Other ID <u>Permanent</u> Address <u>403 Third St</u> City <u>Ida Grove</u> Tenant _____ Well depth <u>320</u> ft Date completed <u>6 / 13 / 2022</u>				Drill Method ☒ Rotary ☐ Auger ☐ Cable ☐ Other _____																																																																																											
Hole size <u>28</u> inch from <u>0</u> ft to <u>323</u> ft _____ inch from _____ ft to _____ ft				hole size continued _____ inch from _____ ft to _____ ft _____ inch from _____ ft to _____ ft																																																																																											
Location County <u>Ida</u> GPS coordinates (NAD83 datum) <u>42.3607280</u> Latitude <u>-95.4600310</u> Longitude ☐ Decimal Degrees ☒ Degrees, Decimal Minutes ☐ Degrees, Minutes, Seconds <u>SE</u> 1/4 of the <u>11</u> TWP <u>87</u> Rng <u>40</u> E W Show exact location of well in section grid with a dot (+). Sketch map of well location on property.				Casing or Loop Pipe Record all depth measurements from ground level (GL). Use + for above GL measurements.																																																																																											
				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Size (in)</th> <th>Material</th> <th>Depth Top</th> <th>Depth Bottom</th> <th>Perforated</th> <th>Slotted</th> <th>Screen</th> </tr> </thead> <tbody> <tr> <td>16</td> <td>SDR 17</td> <td>0</td> <td>291</td> <td>☒</td> <td>☐</td> <td>☐ slot size _____</td> </tr> <tr> <td>16</td> <td>Stainless Steel</td> <td>291</td> <td>321</td> <td>☐</td> <td>☒</td> <td>☐ slot size <u>.030</u></td> </tr> <tr> <td>16</td> <td>Stainless Steel</td> <td>321</td> <td>323</td> <td>☐</td> <td>☒</td> <td>☐ slot size <u>.005</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td>☐</td> <td>☐</td> <td>☐ slot size _____</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td>☐</td> <td>☐</td> <td>☐ slot size _____</td> </tr> </tbody> </table>		Size (in)	Material	Depth Top	Depth Bottom	Perforated	Slotted	Screen	16	SDR 17	0	291	☒	☐	☐ slot size _____	16	Stainless Steel	291	321	☐	☒	☐ slot size <u>.030</u>	16	Stainless Steel	321	323	☐	☒	☐ slot size <u>.005</u>					☐	☐	☐ slot size _____					☐	☐	☐ slot size _____																																																
				Size (in)	Material	Depth Top	Depth Bottom	Perforated	Slotted	Screen																																																																																					
				16	SDR 17	0	291	☒	☐	☐ slot size _____																																																																																					
				16	Stainless Steel	291	321	☐	☒	☐ slot size <u>.030</u>																																																																																					
				16	Stainless Steel	321	323	☐	☒	☐ slot size <u>.005</u>																																																																																					
				☐	☐	☐ slot size _____																																																																																									
				☐	☐	☐ slot size _____																																																																																									
☐ Gravel packed amount _____ variety _____																																																																																															
☐ Seals/packers type _____																																																																																															
☐ Bottom capped with _____																																																																																															
Formation Log <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From</th> <th>To</th> <th>Color</th> <th>Hardness</th> <th>Formation description</th> </tr> </thead> <tbody> <tr><td>0</td><td>5</td><td>Brown</td><td></td><td>Clay</td></tr> <tr><td>5</td><td>80</td><td>Multi</td><td></td><td>Brown and gray clay</td></tr> <tr><td>80</td><td>130</td><td>Tan</td><td></td><td>Sandy clay</td></tr> <tr><td>130</td><td>144</td><td></td><td></td><td>Fine sand</td></tr> <tr><td>144</td><td>160</td><td>Gray</td><td></td><td>Shale and ochre</td></tr> <tr><td>160</td><td>180</td><td>Gray</td><td></td><td>Shale with hard rock layers</td></tr> <tr><td>180</td><td>200</td><td>Gray</td><td></td><td>Shale with rock strips</td></tr> <tr><td>200</td><td>205</td><td></td><td></td><td>Shale</td></tr> <tr><td>205</td><td>214</td><td></td><td></td><td>Sandstone</td></tr> <tr><td>214</td><td>220</td><td>Multi</td><td></td><td>Gray and white shale with ss strip</td></tr> <tr><td>220</td><td>240</td><td>Multi</td><td></td><td>Gray and white shale</td></tr> <tr><td>240</td><td>260</td><td>Multi</td><td></td><td>Gray, red and white shale</td></tr> <tr><td>260</td><td>271</td><td>Multi</td><td></td><td>Red and white shale</td></tr> <tr><td>271</td><td>300</td><td></td><td></td><td>Dakota sandstone</td></tr> <tr><td>300</td><td>320</td><td></td><td></td><td>Dakota sandstone with some</td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td>mdsl and cemented ss layer</td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td>(use additional sheets as needed)</td></tr> </tbody> </table>				From	To	Color	Hardness	Formation description	0	5	Brown		Clay	5	80	Multi		Brown and gray clay	80	130	Tan		Sandy clay	130	144			Fine sand	144	160	Gray		Shale and ochre	160	180	Gray		Shale with hard rock layers	180	200	Gray		Shale with rock strips	200	205			Shale	205	214			Sandstone	214	220	Multi		Gray and white shale with ss strip	220	240	Multi		Gray and white shale	240	260	Multi		Gray, red and white shale	260	271	Multi		Red and white shale	271	300			Dakota sandstone	300	320			Dakota sandstone with some					mdsl and cemented ss layer					(use additional sheets as needed)	Casing Grout Placement method _____	
From	To	Color	Hardness	Formation description																																																																																											
0	5	Brown		Clay																																																																																											
5	80	Multi		Brown and gray clay																																																																																											
80	130	Tan		Sandy clay																																																																																											
130	144			Fine sand																																																																																											
144	160	Gray		Shale and ochre																																																																																											
160	180	Gray		Shale with hard rock layers																																																																																											
180	200	Gray		Shale with rock strips																																																																																											
200	205			Shale																																																																																											
205	214			Sandstone																																																																																											
214	220	Multi		Gray and white shale with ss strip																																																																																											
220	240	Multi		Gray and white shale																																																																																											
240	260	Multi		Gray, red and white shale																																																																																											
260	271	Multi		Red and white shale																																																																																											
271	300			Dakota sandstone																																																																																											
300	320			Dakota sandstone with some																																																																																											
				mdsl and cemented ss layer																																																																																											
				(use additional sheets as needed)																																																																																											
Pump Installation Date <u>11 / 21 / 2022</u> Type of pump <u>3855600-8-6</u> Depth to intake <u>304</u> ft Pump diameter <u>8</u> in Rated capacity <u>385</u> GPM				Water Information Date <u>6 / 28 / 22</u> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Static Water Level</th> <th>Pumping Water Level</th> <th>Yield</th> <th>Duration</th> </tr> </thead> <tbody> <tr> <td><u>103</u> ft</td> <td><u>270</u> ft</td> <td><u>250</u> GPM</td> <td><u>24.00</u> hrs</td> </tr> </tbody> </table>		Static Water Level	Pumping Water Level	Yield	Duration	<u>103</u> ft	<u>270</u> ft	<u>250</u> GPM	<u>24.00</u> hrs																																																																																		
Static Water Level	Pumping Water Level	Yield	Duration																																																																																												
<u>103</u> ft	<u>270</u> ft	<u>250</u> GPM	<u>24.00</u> hrs																																																																																												
Remarks (including depth of lost drilling fluids, materials, or tools)				Water level measurement: ☒ Sonic ☐ Tape ☐ Airline ☐ E-line ☐ Estimate Water yield measurement: ☒ Orifice ☐ Volumetric ☐ Estimate Main water-supply zone from <u>291</u> ft to <u>323</u> ft below GL																																																																																											
Well Use ☐ Domestic ☒ Public supply ☐ Livestock ☐ Heat pump ☐ Commercial ☐ Irrigation # of borehole(s) _____ ☐ Monitoring ☐ Other _____				Well Development ☒ Physical explain: <u>Double disk surge block piping</u> ☐ Chemical explain: _____																																																																																											
Contractor Company <u>Sargent Drilling</u> Address <u>2016 Industrial Park Road, Carroll, IA 51401</u> Driller <u>Derek Schweitzer</u> Certification no. <u>8338</u>																																																																																															

96898



WELL RECORD FORM

96898

PWSID# or PWTS No. _____		PWTS Permit No. _____		GeoSam WNumber (IGS use only) _____																																																			
Site Identification Property owner <u>City of Ida Grove</u> Other ID <u>Surface</u> Address <u>403 Third St</u> City <u>Ida Grove</u> Tenant _____ Well depth <u>80</u> ft Date completed <u>6 / 13 / 2022</u>				Drill Method ☒ Rotary ☐ Auger ☐ Cable ☐ Other _____																																																			
				Hole size <u>42</u> inch from <u>0</u> ft to <u>80</u> ft _____ inch from _____ ft to _____ ft		hole size continued _____ inch from _____ ft to _____ ft _____ inch from _____ ft to _____ ft																																																	
				Location County <u>Ida</u> GPS coordinates (NAD83 datum) <u>42.3607280</u> Latitude <u>95.4600310</u> Longitude ☐ Decimal Degrees ☒ Degrees, Decimal Minutes ☐ Degrees, Minutes, Seconds <u>SE</u> 1/4 of the <u>11</u> TWP <u>87</u> RNG <u>40</u> <u>E</u> Show exact location of well in section grid with a dot (+). Sketch map of well location on property. 				Casing or Loop Pipe Record all depth measurements from ground level (GL). Use + for above GL measurements.																																															
				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Size (in)</th> <th>Material</th> <th>Depth Top</th> <th>Depth Bottom</th> <th>Perforated</th> <th>Slotted</th> <th>Screen</th> </tr> </thead> <tbody> <tr> <td>30</td> <td>Steel .375 Wall</td> <td>0</td> <td>80</td> <td>☒</td> <td>☐</td> <td>☐ slot size _____</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td>☐</td><td>☐</td><td>☐ slot size _____</td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td>☐</td><td>☐</td><td>☐ slot size _____</td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td>☐</td><td>☐</td><td>☐ slot size _____</td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td>☐</td><td>☐</td><td>☐ slot size _____</td></tr> </tbody> </table>		Size (in)	Material	Depth Top	Depth Bottom	Perforated	Slotted	Screen	30	Steel .375 Wall	0	80	☒	☐	☐ slot size _____					☐	☐	☐ slot size _____					☐	☐	☐ slot size _____					☐	☐	☐ slot size _____					☐	☐	☐ slot size _____	☐ Gravel packed amount _____ variety _____ ☐ Seals/packers type _____ ☐ Bottom capped with _____							
Size (in)	Material	Depth Top	Depth Bottom	Perforated	Slotted	Screen																																																	
30	Steel .375 Wall	0	80	☒	☐	☐ slot size _____																																																	
				☐	☐	☐ slot size _____																																																	
				☐	☐	☐ slot size _____																																																	
				☐	☐	☐ slot size _____																																																	
				☐	☐	☐ slot size _____																																																	
Formation Log <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From</th> <th>To</th> <th>Color</th> <th>Hardness</th> <th>Formation description</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>				From	To	Color	Hardness	Formation description																																														Casing Grout Placement method _____	
				From	To	Color	Hardness	Formation description																																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Type</th> <th>Depth Top</th> <th>Depth Bottom</th> <th>Amount (vol/wt)</th> </tr> </thead> <tbody> <tr> <td>Neat Cement Grout</td> <td>4</td> <td>80</td> <td>10 yds</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>		Type	Depth Top	Depth Bottom	Amount (vol/wt)	Neat Cement Grout	4	80	10 yds									Pump Installation Date ____/____/____ Type of pump _____ Depth to intake _____ ft Pump diameter _____ in Rated capacity _____ GPM																																					
Type	Depth Top	Depth Bottom	Amount (vol/wt)																																																				
Neat Cement Grout	4	80	10 yds																																																				
Water Information Date ____/____/____		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Static Water Level</th> <th>Pumping Water Level</th> <th>Yield</th> <th>Duration</th> </tr> </thead> <tbody> <tr> <td>_____ ft</td> <td>_____ ft</td> <td>_____ GPM</td> <td>_____ hrs</td> </tr> </tbody> </table>		Static Water Level	Pumping Water Level	Yield	Duration	_____ ft	_____ ft	_____ GPM	_____ hrs																																												
Static Water Level	Pumping Water Level	Yield	Duration																																																				
_____ ft	_____ ft	_____ GPM	_____ hrs																																																				
Water level measurement: ☐ Sonic ☐ Tape ☐ Airline ☐ E-line ☐ Estimate Water yield measurement: ☐ Orifice ☐ Volumetric ☐ Estimate Main water-supply zone from _____ ft to _____ ft below GL		Well Development ☒ Physical explain: <u>Double disk surge block piping</u> ☐ Chemical explain: _____																																																					
Remarks (including depth of lost drilling fluids, materials, or tools) _____ _____ _____				Contractor Company <u>Sargent Drilling</u> Address <u>2016 Industrial Park Road, Carroll, IA 51401</u> Driller <u>Derek Schweitzer</u> Certification no. <u>8338</u>																																																			
Well Use ☐ Domestic ☒ Public supply ☐ Livestock ☐ Heat pump ☐ Commercial ☐ Irrigation # of borehole(s) _____ ☐ Monitoring ☐ Other _____				(use additional sheets as needed)																																																			